

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE INDICATOR**

EMF Copylib Name: STDN-ASGN-ERR-APP-IND

EMF Position: 2517

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: Indicates whether orders were received on the member at his current activity via the Standard Transfer Directive Module system and whether they were correctly applied.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable
	A	Orders were applied.
	E	Orders were not applied due to an error; they must be corrected and resubmitted.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE SOURCE**

EMF Copylib Name: STDN-ASGN-SOURCE

EMF Position: 2518

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The source of the member's orders.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	P	EPMAC
	Blank	Pers detailers

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE PROCESS DATE**

EMF Copylib Name: STDN-ASGN-DATE

EMF Position: 2519-2522

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The Julian date on which the member's orders were processed.

Valid Values: Valid DDDY dates.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE MODIFICATION INDICATOR**

EMF Copylib Name: STDMMODERRAPPIND

EMF Position: 2523

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: Indicates that modifications to the member's original orders were received and describes whether they were processed.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable
	A	Order modifications were applied
	E	Order modifications failed to be applied properly and must be corrected and resubmitted.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE MODIFICATION SOURCE**

EMF Copylib Name: STDMM-MOD-SOURCE

EMF Position: 2524

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The source of the member's modified orders.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	P	EPMAC
	Blank	Pers detailers

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE MODIFICATION
DATE**

EMF Copylib Name: STDMMOD-DATE

EMF Position: 2525-2529

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The Julian date on which modifications to the member's orders were processed.

Valid Values: Valid DDDY dates.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE CANCELLATION INDICATOR**

EMF Copylib Name: STDm-CANC-ERR-APP-IND

EMF Position: 2529

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: Indicates that a cancellation of the member's orders was received and describes whether the cancellation was processed.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	A	Cancellation of orders applied.
	E	Order cancellation was not applied properly and must be corrected and resubmitted.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE CANCELLATION SOURCE**

EMF Copylib Name: STDm-CANC-SOURCE

EMF Position: 2530

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The source of the cancellation of the member's orders.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	P	EPMAC was source of order cancellation
	Blank	Pers detailers

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **STANDARD TRANSFER DIRECTIVE MODULE CANCELLATION
DATE**

EMF Copylib Name: STDm-CANC-DATE

EMF Position: 2531-2534

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: 2XX

Description: The Julian date on which cancellation of the member's orders was processed.

Valid Values: Valid DDDY values.

Auth Sub Sources: PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ORIGINAL MESSAGE INDICATOR**

EMF Copylib Name: BO-MSG-IND-ORIG

EMF Position: 1538

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, 2XX

Description: Indicates whether or not the member's assignment has been processed with any Enlisted Personnel Action Document (EPAD) output.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Either no orders on file, or original orders processed with EPAD output
	M	Original orders processed without EPAD output

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS MODIFIED MESSAGE INDICATOR**

EMF Copylib Name: BO-MSG-IND-MOD

EMF Position: 1539

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QM0, 2XX

Description: Indicates whether or not the member's assignment modification has processed with any Enlisted Personnel Action Document (EPAD) output.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Either no modification to orders on file or modification processed with EPAD output.
	M	Modification to orders processed without EPAD output.

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS GENERATE TRANSMISSION DATE**

EMF Copylib Name: BO-GEN-TC

EMF Position: 1206-1209

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The Julian date on which the member's activity assignment or drop to EPMAC for further assignment was processed.

Valid Values: Valid DDDY dates.

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ORIGINAL TRANSMISSION SOURCE**

EMF Copylib Name: BO-ORIG-SOURCE

EMF Position: 1210

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The organization that issued the member's original basic orders.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable
	B	Pers-47 is issuing authority
	P	EPMAC is authority

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ORIGINAL TRANSMISSION DATE**

EMF Copylib Name: BO-ORIG-TC

EMF Position: 1211-1214

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The Julian date on which the original transmission source was entered in the member's record in the EMF.

Valid Values: Valid DDDY dates.

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS MODIFIED TRANSMISSION SOURCE**

EMF Copylib Name: BO-MOD-SOURCE

EMF Position: 1215

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The organization that modified the member's basic orders.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable
	B	Pers-47 is issuing authority
	P	EPMAC is authority

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS MODIFIED TRANSMISSION DATE**

EMF Copylib Name: BO-MOD-TC

EMF Position: 1216-1219

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The Julian date on which the transmission source that modified the basic orders was entered in the member's record in the EMF.

Valid Values: Valid DDDY dates.

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
MANAGER**

EMF Copylib Name: BO-CIC-A

EMF Position: 1220

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: First position of the 8-position CIC.

Valid Values: This data element's value is always "A".

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERSINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
OPERATIONAL TARGET MANAGER**

EMF Copylib Name: BO-CIC-OPTAR

EMF Position: 1221

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Second position of the 8-position CIC; identifies the organization responsible for the administration of the funds authorized for the member's permanent change of station (PCS) move to his ultimate permanent activity.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) OPERATIONAL TARGET MANAGER CODES

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
PURPOSE**

EMF Copylib Name: BO-CIC-PURPOSE

EMF Position: 1222

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Third position of the 8-position CIC; defines the purpose of the member's permanent change of station (PCS) move and whether or not the move to his ultimate permanent activity will involve overseas travel.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) PURPOSE CODES

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
DETACHMENT MONTH**

EMF Copylib Name: BO-CIC-DET-MO

EMF Position: 1223

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Fourth position of the 8-position CIC; specifies the month that the member is scheduled to detach from his current permanent or temporary duty activity.

Valid Values: Appendix A, CUSTOMER IDENTIFICATION CODE (CIC) MONTH CODES

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
DETACHMENT YEAR**

EMF Copylib Name: BO-CIC-DET-YR

EMF Position: 1224

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Fifth position of the 8-position CIC;, specifies the fiscal year that the member is scheduled to detach from his current permanent or temporary duty activity.

Valid Values: 0-9, Blank is not reported

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC) SUB
CODE**

EMF Copylib Name: BO-CIC-SUB-CODE

EMF Position: 1225

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Sixth position of the 8-position CIC; describes the type of assignment for which the member's permanent change of station (PCS) travel to his ultimate permanent activity is authorized.

Valid Values: BUPERSINST 7040.5

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
AUTHORITY**

EMF Copylib Name: BO-CIC-AUTH

EMF Position: 1226

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Seventh position of the 8-position CIC; specifies the detailing organization responsible for the funding of the member's permanent change of station (PCS) move to his ultimate permanent activity.

Valid Values: BUPERSINST 7040.5

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS CUSTOMER IDENTIFICATION CODE (CIC)
REASON**

EMF Copylib Name: BO-CIC-REASON

EMF Position: 1227

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Eighth position of the 8-position CIC; specifies the reason for the member's permanent change of station (PCS) travel to his ultimate permanent activity.

Valid Values: BUPERSINST 7040.5

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) BUPERINST 7040.5, (b) NMPCINST 7040.1, (c) TRANSMAN 23.02

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS DELAY IN REPORTING -
DAYS AUTHORIZED**

EMF Copylib Name: BO-DELREP-DAYS

EMF Position: 1228-1229

EMF Length: 2

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The number of days of delay in reporting (chargeable as leave) that the member is authorized.

Valid Values: 00-99

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A, (b) TRANSMAN 24.04

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS DELAY IN REPORTING -
REASON CODE**

EMF Copylib Name: BO-DELREP-REASON

EMF Position: 1230

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The type leave that the member is authorized enroute to his next activity.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Provided no excess leave involved, authorized to delay in reporting, such delay to count as leave (number of days or until date specified)
	0	No leave enroute is authorized
	A	Delay enroute authorized as ordinary leave provided it does not interfere with reporting date specified and providing member has sufficient accrued leave

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A, (b) TRANSMAN 24.04

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS REQUISITION NUMBER
ACCOUNTING PERIOD**

EMF Copylib Name: BO-REQUISITION-NUMBER (Position 1-4)

EMF Position: 1231-1234

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The month and day of the start of the accounting period for the billet in the Fleet/NMPC requisition report being filled by the member's orders.

Valid Values: MMYY

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS REQUISITION NUMBER -
REQUISITION CONTROL NUMBER**

EMF Copylib Name: BO-REQUISITION-NUMBER (Position 5-8)

EMF Position: 1235-1238

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The requisition control or non-standard billet identification code for the billet in Fleet/Pers requisition report being filled by the member's orders.

Valid Values:

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ASSIGNED RATE:
RATE OVERRIDE INDICATOR**

EMF Copylib Name: BO-OVERRIDE-KEY

EMF Position: 1239

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QC0

Description: Indicates whether the member's present or prospective rate has been overridden to drop the member to EPMAC for assignment.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	The member was not dropped to EPMAC for assignment
	R	Rated or designated member dropped to EPMAC for assignment

Auth Sub Sources: PERS-103 (SDS), PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A.

 This data element also is listed in Part 6.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ASSIGNED RATE:
RATE CODE**

EMF Copylib Name: BO-DROP-ASGN-RATE-CODE-1-4

EMF Position: 1240-1243

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QC0, QK0

Description: The member's rating at the time of the assignment.

Valid Values: Appendix A, RATE CODE TABLE

Auth Sub Sources: PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element is a 4-character numeric code for the 2- or 3-character alphabetic rating abbreviation contained in the data element BO-DROP-ASGN-RATE-ABBR.

This data element also is listed in Part 6.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ASSIGNED RATE: PAYGRADE**

EMF Copylib Name: BO-DROP-ASGN-RATE-PG

EMF Position: 1244

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QC0, QK0

Description: The member's paygrade at the time of the assignment.

Valid Values: Appendix A, PAYGRADE CODES

Auth Sub Sources: PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element does not comply with the DOD standard data element PA-SN-AD in the Manual for Standard Data Elements, DOD 5000.12-M.

This data element also is listed in Part 6.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ASSIGNED RATE:
RATE ABBEREVIATION**

EMF Copylib Name: BO-DROP-ASGN-RATE-ABBR

EMF Position: 1245-1249

EMF Length: 5

EMF Occurrences: 1, Alphanumeric

NES TAC: QC0, QK0

Description: The 3- to 5-character abbreviation of the rating and paygrade that the member held at the time of the assignment.

Valid Values: Appendix A, RATE ABBREVIATION TABLE

Auth Sub Sources: PERS-103 (SDS), PERS-47, EPMAC

Comments: This data element also is listed in Part 6.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ENLISTED DISTRIBUTION CODE**

EMF Copylib Name: BO-DROP-EDC-TO

EMF Position: 1250-1252

EMF Length: 3

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The official responsible to the manning control authority for manning posture of the last activity (in single or series orders) to which member is to report for duty or temporary duty upon assignment or reassignment.

Valid Values: Appendix A, ENLISTED DISTRIBUTION CODE TABLE

Auth Sub Sources: PERS-1024E, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ESTIMATED DATE OF LOSS**

EMF Copylib Name: BO-EDL-DATE

EMF Position: 1253-1258

EMF Length: 6

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The estimated date on which the member will be transferred. If the day is not specified, the transfer date within the month is at the discretion of the transferring activity.

Valid Values: Valid YYMMDD date.

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN 24-03, (b) TRANSMAN, Figure 24A.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS PARENT UNIT IDENTIFICATION CODE (UIC)**

EMF Copylib Name: BO-PARENT-UIC

EMF Position: 1266-1270

EMF Length: 5

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The parent command of the last activity (in single or series orders) to which the member is to report for permanent duty or temporary duty upon assignment or reassignment.

Valid Values: NAVCOMPT Manual, Vol. II, Chapter 5

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) OPNAVINST 1000.16. If the basic orders activity is not a component or detachment, the actual unit identification code is repeated as the parent unit identification code.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ACTUAL UNIT IDENTIFICATION CODE (UIC)**

EMF Copylib Name: BO-ACTUAL-UIC

EMF Position: 1271-1275

EMF Length: 5

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The last activity (in single or series orders) to which member is to report for permanent duty or temporary duty upon assignment or reassignment.

Valid Values: NAVCOMPT Manual, Vol. II, Chapter 5

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) OPNAVINST 1000.16

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS PERMANENT CHANGE OF STATION (PCS)
COST**

EMF Copylib Name: BO-PCS-COST

EMF Position: 1276-1280

EMF Length: 5

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The estimated cost in even dollars as determined by detailer of the member's permanent change station (PCS) move.

Valid Values: 00000 - 99999

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS ASSIGNMENT REASON**

EMF Copylib Name: BO-ASGN-REASON (Position 1 & 2)

EMF Position: 1281-1282

EMF Length: 2

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The reason the member is to be assigned to his next duty activity.

Valid Values: Enlisted Detailer Manual, NMPC-4 Instruction 5410.1;
 Enlisted Transfer Manual, NAVPERS-15909E

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS DUTY PREFERENCE INDICATOR**

EMF Copylib Name: BO-ASGN-REASON (Position 3)

EMF Position: 1283

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Indicates whether the member's first past activity duty preference was met.

Valid Values: Enlisted Detailer Manual, NMPC-4 Instruction 5410.1;
 Enlisted Transfer Manual, NAVPERS-15909E

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS TRAVEL ENTITLEMENT INDICATOR**

EMF Copylib Name: BO-ENTIL-IND

EMF Position: 1284

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: Indicates whether the member is entitled to travel allowances for his dependents in connection with his basic orders.

<i>Valid Values:</i>	<u>Values</u>	<u>Description</u>
	Blank	Not applicable
	8	Entitled
	9	Not entitled

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS DESK CODE**

EMF Copylib Name: BO-DESK-CODE

EMF Position: 1285-1286

EMF Length: 2

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The detailer responsible for the assignment community of the member's basic orders.

Valid Values: TRANSMAN, Figures 24H and 240

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS SPECIAL CATEGORY**

EMF Copylib Name: BO-SPECAT

EMF Position: 1287

EMF Length: 1

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The special category assignment community of which the member is a part for his basic orders.

Valid Values: TRANSMAN, Figures 24H

Auth Sub Sources: PERS-47, EPMAC

Comments: References - (a) TRANSMAN, Figure 24A.

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS PER DIEM COST FOR
CURRENT FISCAL YEAR**

EMF Copylib Name: BO-TOTAL-PER-DIEM-COST1

EMF Position: 1288-1291

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The per diem cost, rounded to nearest dollar, to which member is entitled in connection with his basic orders.

Valid Values: 00000 - 99999

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS

Data Element Full Name: **BASIC ORDERS SPECIAL PER DIEM COST FOR SUBSEQUENT FISCAL YEAR**

EMF Copylib Name: BO-TOTAL-PER-DIEM-COST2

EMF Position: 1292-1295

EMF Length: 4

EMF Occurrences: 1, Alphanumeric

NES TAC: QD0, QM0, 2XX

Description: The portion of the per diem total cost, rounded to nearest dollar, that will accumulate in the subsequent fiscal year based on the estimated dates of arrival and graduation of the member.

Valid Values: 00000 - 99999

Auth Sub Sources: PERS-47, EPMAC

Comments:

PART 13. BASIC ORDERS