

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **RECORD CREATION DATE**

*EMF Copylib Name:*                       RECORD-CREATION-DATE, SCAT-ENTRY-DATE

*EMF Position:*                            2163-2168

*EMF Length:*                             6

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                 1FL, 1SR, 1xx, 2xx, QC0, QK0

*Description:*       The date on which the master record for the member was established in the Enlisted Master File, or the date on which the first 1FL/1SR transaction was applied to the member's existing master record.

*Valid Values:*     Valid YYMMDD dates

*Auth Sub Sources:*       PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, PERS-842, EPMAC, MEPCOM

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **DATE RECORD LAST UPDATED**

*EMF Copylib Name:*                           LAST-UPDATE-CONTROL

*EMF Position:*                               0058-0062

*EMF Length:*                                 5

*EMF Occurrences:*                         1, Alphanumeric

*NES TAC:*                                     ANY

*Description:*       The date of the latest update during which any data in the member's Enlisted Master Record was changed.

*Valid Values:*     Valid DDDYY dates

*Auth Sub Sources:*

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **STRENGTH CONTROL INDICATOR (SCIND)**

*EMF Copylib Name:*                        SC-IND

*EMF Position:*                            0044-0048

*EMF Length:*                             5

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                 1xx, 2xx, 8xx, 9xx, CAC, CAD, PA1, PA2, QC0, QK0

*Description:*     The strength status of the member's Enlisted Master Record (EMR).

<u>Value</u>	<u>Description</u>
XFXXX	Full-strength record (supported by 1FL, 1SR data)
XEXXX	Full-strength record with data errors
XX1XX	Record created by 1xx (Non-Immediate Reenlistment) TAC
XX2XX	Record created by 2xx (Activity Gain) or CAC (MEPCOM CACHE Gain) TAC
XXXXA	Record created by Availability TAC QC0 from the Source Data System (SDS)
XXXXC	Record created by Availability TAC QK0 from the Computer Assisted Assignment System (COMPASS)
DXXXX	Deserter record (951 TAC has been applied)
RXXXX	Deserter record subsequently updated by an availability TAC (191 or 193, Return Deserter)
HXXXX	Loss/hold record (8xx/9xx TAC has been applied)
AXXXX	Loss/hold record subsequently updated by Availability TAC QC0 from the Source Data System (SDS)
XXSUX	Not used

*Auth Sub Sources:*     PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-29 (COMPASS), PERS-47, PERS-842, EPMAC, MEPCOM, NFC

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **STRENGTH GAIN DATE**

*EMF Copylib Name:*                   GAIN-DATE

*EMF Position:*                        0049-0052

*EMF Length:*                         4

*EMF Occurrences:*                 1, Alphanumeric

*NES TAC:*                             1FL, 1SR

*Description:*     The year and month in which the member was gained to full strength (SC-IND = XFXXX); this data is generated from the processing date of the strength gain.

*Valid Values:*    Valid YYMM dates

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **STRENGTH GAIN DATE: TEMAC ACTIVE DUTY**

*EMF Copylib Name:*                        TEMAC-STRENGTH-DATE

*EMF Position:*                             0205-0209

*EMF Length:*                              5

*EMF Occurrences:*                        1, Alphanumeric

*NES TAC:*                                  1FL, 1SR, 1xx, 2xx, 8xx, 9xx

*Description:*       The Julian date on which the TAR or TEMAC member's gain to full strength in the Enlisted Master Record (SC-IND = XFXXX) was processed.

*Valid Values:*     Valid DDDYY dates

*Auth Sub Sources:*       PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC, MEPCOM, NFC

*Comments:*         This date, which applies to selected members from the TAR or TEMAC community, is generated from the date the strength gain change was processed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **STRENGTH GAIN DATE: TEMAC ACTIVE DUTY - NUMBER OF DAYS**

*EMF Copylib Name:*                        TEMAC-STRENGTH-DAYS

*EMF Position:*                             0202-0204

*EMF Length:*                              3

*EMF Occurrences:*                       1, Alphanumeric

*NES TAC:*                                  1FL, 1SR, 1xx, 2xx, 8xx, 9XX

*Description:*        The number of days the TAR or TEMAC member was on active duty during the current fiscal year.

*Valid Values:*     000 - 999, Blank - Not applicable

*Auth Sub Sources:*        PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC, MEPCOM, NFC

*Comments:*           References - (a) DOD Directive 1215.6.

                          This data element applies only to selected members of the TAR or TEMAC community.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **PROSPECTIVE GAIN INDICATOR**

*EMF Copylib Name:*                       PG-IND

*EMF Position:*                            0324

*EMF Length:*                             1

*EMF Occurrences:*                    1, Alphanumeric

*NES TAC:*                                 2xx

*Description:*       Indicates whether the member was gained for duty at his current activity without a prior prospective gain.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	The member was gained for duty with a prior prospective gain
	1	The member was gained for duty without a prior prospective gain

*Auth Sub Sources:*           PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **STRENGTH LOSS DATE**

*EMF Copylib Name:*               LOSS-DATE

*EMF Position:*                   0053-0056

*EMF Length:*                    4

*EMF Occurrences:*              1, Alphanumeric

*NES TAC:*                        1FL, 1SR, 8xx, 9xx

*Description:*       The month and year of the processing date on which the member's loss was applied to the EMR.

*Valid Values:*     Valid YYMM dates

*Auth Sub Sources:*       PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), PERS-842, EPMAC,  
                              MEPCOM, NFC

*Comments:*        This date is generated from the system date (ECURRDATE).

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **LOSS TRANSACTION SOURCE**

*EMF Copylib Name:*                       E-LOSS-IND-SOURCE

*EMF Position:*                            2213

*EMF Length:*                             1

*EMF Occurrences:*                    1, Alphanumeric

*NES TAC:*                                8xx, 9xx

*Description:*           Originally established to identify the source of a transaction, whose processing could not be completed because of error conditions, reporting that the member was lost from active enlisted Navy strength. See COMMENTS.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>	<u>Value</u>	<u>Description</u>
	1	PERS-1024E	C	OCARS
	K	SDS	8	PERS-842
	A	NFC	P	EPMAC

*Auth Sub Sources:*           PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), EPMAC, NFC

*Comments:*           This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **LOSS TRANSACTION DATE**

*EMF Copylib Name:*                   E-LOSS-DATE

*EMF Position:*   /                   2214-2217

*EMF Length:*                        4

*EMF Occurrences:*                 1, Alphanumeric

*NES TAC:*                             8xx, 9xx

*Description:*   Originally established to identify the Julian processing date of the erroneous transaction from the source identified by the code in data element E-LOSS-IND-SOURCE above. See COMMENT.

*Valid Values:*   Valid DDDY dates

*Auth Sub Sources:*           PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), EPMAC, NFC

*Comments:*       This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **LOSS TRANSACTION PROCESS DATE**

*EMF Copylib Name:*                   E-NAVY-LOSS-ENTRY-DATE

*EMF Position:*                       2169-2174

*EMF Length:*                         6

*EMF Occurrences:*                 1, Alphanumeric

*NES TAC:*                             8xx, 9xx

*Description:*     The date that the transaction reporting that the member was lost from active enlisted Navy strength was applied to the EMF.

*Valid Values:*    Valid YYMMDD dates

*Auth Sub Sources:*       PERS-1023C (OCARS, OPINS), PERS-1024E, PERS-103 (SDS), EPMAC, NFC

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **LOSS HOLD FILE INDICATOR**

*EMF Copylib Name:*                       LOSS-HOLD-FILE-IND

*EMF Position:*                            0074

*EMF Length:*                             1

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                 NONE

*Description:*     Indicates whether selected data in the member's Enlisted Master Record have been written to the loss hold file by the monthly audit based on Strength Control Indicator SC-IND = HXXXX (member was lost from active enlisted Navy strength).

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	There is no record for the member in the loss hold file
	L	There is a record for the member in the loss hold file

*Auth Sub Sources:*

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **1FL: MILITARY ENTRANCE PROCESSING STATION (MEPS)  
TRANSACTION INDICATOR**

*EMF Copylib Name:* FILL-F

*EMF Position:* 2228

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 1FL

*Description:* Originally established to record the source of MEPS 1FL transactions that created or updated the member's Enlisted Master Record (EMR). See COMMENT.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	MEPCOM 1FL transaction has not been applied to the EMF
	F	MEPCOM 1FL transaction has been applied to the EMF

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:* This data element is no longer maintained; it will be deleted when program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **1FL: MILITARY ENTRANCE PROCESSING STATION (MEPS)  
NUMBER OF TRANSACTIONS**

*EMF Copylib Name:*                 CT-1FL-F

*EMF Position:*                     2229

*EMF Length:*                     1

*EMF Occurrences:*               1, Alphanumeric

*NES TAC:*                         1FL

*Description:*     Originally established to record the number of parts of MEPS 1FL transactions that were applied to the EMF while developing a new record. See COMMENT.

*Valid Values:*    0 - 9, Blank - Not applicable

*Auth Sub Sources:*           PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*       This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **1FL: MILITARY ENTRANCE PROCESSING STATION (MEPS) LAST TRANSACTION PROCESS DATE**

*EMF Copylib Name:*                 USAREC-DATE

*EMF Position:*                     2560-2563

*EMF Length:*                      4

*EMF Occurrences:*                1, Alphanumeric

*NES TAC:*                          1FL

*Description:*           Originally established to record the date the most recent MEPS 1FL transaction was applied to the member's record in the EMF. See COMMENTS.

*Valid Values:*       Valid DDDY dates

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*           This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **MILITARY ENTRANCE PROCESSING STATION: (MEPS) DATA  
ERROR TYPE**

*EMF Copylib Name:* USAREC-ERR

*EMF Position:* 2175

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 1FL

*Description:* Originally established to record the type of error detected in the member's data on the 1FL transaction submitted by MEPCOM. See COMMENTS.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not reported or no errors
	1	Error found in DOD elements only
	2	Error found in Navy unique elements only
	3	Error found in DOD and Navy unique elements

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **1FL: BUPERS TRANSACTION INDICATOR**

*EMF Copylib Name:* FILL-B

*EMF Position:* 2230

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 1FL

*Description:* Originally established to identify BUPERS as the source 1FL transactions that created or updated the member's Enlisted Master Record (EMR). See COMMENTS.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	PERS 1FL transaction has not been applied to the EMF
	B	PERS 1FL transaction has been applied to the EMF

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **1FL: BUPERS NUMBER OF TRANSACTIONS**

*EMF Copylib Name:*                       CT-1FL-B

*EMF Position:*                            2231

*EMF Length:*                             1

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                 1FL

*Description:*       Originally established to record the number of 1FL transactions from the BUPERS that were applied to the EMF while developing a new record. See COMMENTS.

*Valid Values:*     0 - 9, Blank - Not applicable

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*        This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **1FL: BUPERS LAST TRANSACTION PROCESS DATE**

*EMF Copylib Name:*                       NMPC-1FL-DATE

*EMF Position:*                            2564-2567

*EMF Length:*                             4

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                 1FL

*Description:*       Originally established to record the date that the most recent BUPERS 1FL transaction was applied to the member's record in the EMF. See COMMENTS.

*Valid Values:*     Valid DDDY dates

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*         This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **1FL: RECRUIT ACCESSION MODULE (RAM)  
TRANSACTION INDICATOR**

*EMF Copylib Name:* FILL-M

*EMF Position:* 2558

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 1FL

*Description:* Originally established to identify NRAM as the source of the 1FL transaction that created or updated the member's Enlisted Master Record. See COMMENTS.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	RAM 1FL transaction has not been applied to the EMF
	M	RAM 1FL transaction has been applied to the EMF

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **1FL: RECRUIT ACCESSION MODULE (RAM)  
NUMBER OF TRANSACTIONS**

*EMF Copylib Name:*               CT-1FL-M

*EMF Position:*                    2559

*EMF Length:*                     1

*EMF Occurrences:*               1, Alphanumeric

*NES TAC:*                         1FL

*Description:*       Originally established to record the number of 1FL transactions from NRAM that were applied to the EMF while developing a new record. See COMMENTS.

*Valid Values:*     0 - 9, Blank - Not applicable

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*        This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **1FL: RECRUIT ACCESSION MODULE (RAM)  
LAST TRANSACTION PROCESS DATE**

*EMF Copylib Name:*                         RAM-DATE

*EMF Position:*                             2572-2575

*EMF Length:*                              4

*EMF Occurrences:*                        1, Alphanumeric

*NES TAC:*                                  1FL

*Description:*     Originally established to record the date that the most recent NRAM 1FL transaction was applied to the member's record in the EMF. See COMMENTS.

*Valid Values:*    Valid DDDY dates

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), MEPCOM

*Comments:*       This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **1SR: BUPERS TRANSACTION INDICATOR**

*EMF Copylib Name:*                       FILL-E

*EMF Position:*                            2232

*EMF Length:*                             1

*EMF Occurrences:*                    1, Alphanumeric

*NES TAC:*                                 1SR

*Description:*     Originally established to indicate the source of a BUPERS 1SR transaction that was applied to the EMF for the member. See COMMENTS.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	NMPC 1SR transaction has not been applied to the EMF
	E	NMPC 1SR transaction has been applied to the EMF

*Auth Sub Sources:*                   PERS1024D

*Comments:*       This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **1SR: BUPERS NUMBER OF TRANSACTIONS**

*EMF Copylib Name:*                   CT-ESR

*EMF Position:*                       2233

*EMF Length:*                        1

*EMF Occurrences:*                 1, Alphanumeric

*NES TAC:*                            1SR

*Description:*     Originally established to record the number of 1SR transactions from BUPERS that were applied to the EMF while developing a new record. See COMMENTS.

*Valid Values:*    0 - 9, Blank - Not applicable

*Auth Sub Sources:*                PERS1024D

*Comments:*       This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **ISR: BUPERS LAST TRANSACTION PROCESS DATE**

*EMF Copylib Name:* NMPC-ISR-DATE

*EMF Position:* 2568-2571

*EMF Length:* 4

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 1SR

*Description:* Originally established to record the date that the most recent BUPERS 1SR transaction was applied to the member's record in the EMF. See COMMENTS.

*Valid Values:* Valid DDDY dates

*Auth Sub Sources:* PERS1024D

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **ESTIMATED DATE OF ARRIVAL**

*EMF Copylib Name:*                        TO-EDA-DATE

*EMF Position:*                             2234-2239

*EMF Length:*                              6

*EMF Occurrences:*                        1, Alphanumeric

*NES TAC:*                                    2xx, 6xx

*Description:*       The member's estimated date of arrival at his next duty station.

*Valid Values:*     Valid YYMMDD dates

*Auth Sub Sources:*       PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **ESTIMATED DATE OF ARRIVAL:  
REASON FOR DELAY IN REPORTING**

*EMF Copylib Name:* TO-EDA-REASON

*EMF Position:* 2240

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 2xx, 6xx

*Description:* The reason for the member's delay in reporting to his permanent duty activity.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not reported
	1	Member is missing
	2	Member transferred for further assignment
	3	Member transferred to duty or further transfer
	4	Member transferred for duty under instruction or temporary duty under instruction
	5	Member transferred to temporary duty
	7	Member transferred to temporary duty for treatment
	8	Member transferred to temporary duty awaiting separation
	9	Member transferred to temporary duty for disciplinary reasons

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **TO OR FROM UNIT IDENTIFICATION CODE (UIC) INDICATOR**

*EMF Copylib Name:* TO-FROM-IND

*EMF Position:* 2257

*EMF Length:* 1

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 2xx, 6xx

*Description:* Indicates whether the activity identified below in the data element TO OR FROM UNIT IDENTIFICATION CODE (UIC) (Positions 2258-2262) is the activity from which the member was received or the activity to which he will be transferred.

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	Not applicable
	T	The UIC of the activity to which the member will be transferred
	F	The UIC from which the member was transferred

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

*Comments:* References - (a) PAYPERSMAN 90612, 90622

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **TO OR FROM UNIT IDENTIFICATION CODE (UIC)**

*EMF Copylib Name:* TO-FROM-UIC

*EMF Position:* 2258-2262

*EMF Length:* 5

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* 2xx, 6xx

*Description:* If the TO OR FROM UNIT IDENTIFICATION INDICATOR (Position 2257) = T, this data element contains the UIC for the activity TO which the member is being transferred.

If the TO OR FROM UNIT IDENTIFICATION INDICATOR (Position 2257) = F, this data element contains the UIC for the activity FROM which the member is being transferred.

*Valid Values:* NAVCOMPT Manual, Vol. II, Chapter 5

*Auth Sub Sources:* PERS-1024E, PERS-103 (SDS), PERS-47, PERS-842, EPMAC

*Comments:* References - (a) PAYPERSMAN 90612, 90622.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **NPRDC VOLUNTEER INDICATOR**

*EMF Copylib Name:* VOL-ELIG-CODE

*EMF Position:* 2460-2461

*EMF Length:* 2

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* NONE

*Description:* Indicates whether the member participated in a program of the Naval Personnel Research and Development Center, San Diego, California (NPRDC), which was only offered to members who enlisted between November 1, 1976 and November 28, 1976. Data was entered on a ~~one~~ time basis. See COMMENTS.

*Valid Values:* Values were defined by NPRDC for their use and are generated from the member's Current Enlistment Date.

*Auth Sub Sources:*

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **NPRDC VOLUNTEER INDICATOR DATE**

*EMF Copylib Name:* VOL-ELIG-DATE-TAGGED

*EMF Position:* 2462-2467

*EMF Length:* 6

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* NONE

*Description:* The date that the Naval Personnel Research and Development Center Volunteer Indicator was applied to the member's record in the EMF. The program was only offered to members who enlisted between November 1, 1976 and November 28, 1976. Data was entered on a ~~one~~one basis. See COMMENTS.

*Valid Values:* Valid YYMMDD dates

*Auth Sub Sources:*

*Comments:* This data element is no longer maintained; it will be deleted when all program references have been removed.

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:* **ENLISTED DISTRIBUTION AND VERIFICATION REPORT (EDVR)  
DATA CHANGE INDICATOR**

*EMF Copylib Name:* EDVR-KEY

*EMF Position:* 2133-2137

*EMF Length:* 5

*EMF Occurrences:* 1, Alphanumeric

*NES TAC:* ANY

*Description:* Indicates whether data in the member's EMF record displayed in the Enlisted Distribution and Verification Report (EDVR) have been entered or changed during the current EDVR cycle. Also indicates accounting conditions that require attention of the activity.

*Valid Values:* NAVMILPERSCOMINST 1080.1

*Auth Sub Sources:*

*Comments:*

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **FREEDOM OF INFORMATION ACT  
CONTESTED INDICATOR**

*EMF Copylib Name:*                       PRIV-ACT-IND

*EMF Position:*                             0037

*EMF Length:*                              1

*EMF Occurrences:*                      1, Alphanumeric

*NES TAC:*                                  PA1, PA2

*Description:*     Indicates whether the member has contested the data contained in his Enlisted Master Record (EMR).

<i>Valid Values:</i>	<u>Value</u>	<u>Description</u>
	Blank	The member has not contested the data
	C	The member has contested the data

*Auth Sub Sources:*                   PERS-10T

*Comments:*       References - (a) SECNAVINST 5211.5, (b) BUPERSINST 5211.5

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*           **FREEDOM OF INFORMATION ACT  
DATE CONTESTED**

*EMF Copylib Name:*                PRIV-ACT-DATE

*EMF Position:*                    0038-0043

*EMF Length:*                     6

*EMF Occurrences:*               1, Alphanumeric

*NES TAC:*                         PA1, PA2

*Description:*        The date the member contested the data in his Enlisted Master Record (EMR).

*Valid Values:*     Valid YYMMDD dates

*Auth Sub Sources:*        PERS-10T

*Comments:*        References - (a) SECNAVINST 5211.5, (b) BUPERSINST 5211.5

PART 23. SYSTEM CONTROL DATA

*Data Element Full Name:*                   **RESERVED AREA FOR PERSONNEL RECORDS ONLINE SYSTEM  
USE**

*EMF Copylib Name:*                        PRO-RESERVED

*EMF Position:*                             3001

*EMF Length:*

*EMF Occurrences:*

*NES TAC:*                                 NONE

*Description:*     These EMF positions are reserved for data relating to Personnel Records ~~Qim~~ (PRO) System.

*Valid Values:*

*Auth Sub Sources:*

*Comments:*

PART 23. SYSTEM CONTROL DATA